

**From:** [David Vansoest](#)  
**To:** [John McCoy](#); [Kelly Cook](#); [Kathleen Decker](#); [Susan Jablonski](#); ["don.holmstrom@csb.gov"](#); ["daniel.horowitz@csb.gov"](#); ["chris.lyon@csb.gov"](#); ["johnnie.banks@csb.gov"](#); [Quinones, Edwin](#); [Hayes, Mark](#); ["lewis.jeffrey@dol.gov"](#); ["Le, Madeleine - SOL"](#); [rector.jack@dol.gov](#); [Schoen, Michael - SOL](#); ["Hayes Fuller"](#); [Charles Keith](#); [Matt Wilber](#); ["Mark Grotefeld"](#); ["Zona Jones"](#); ["Jim Klick"](#); ["Patrick Gareis"](#); ["Waylon Pickett"](#); ["Anooj Thakrar"](#); ["Kevin Mosley"](#); ["ktaunton@ttsslawfirm.com"](#); ["fredwilson@up.com"](#)  
**Cc:** [Laurence Leavitt](#); [Brook Laskey](#); [Eugene LaFlamme](#); [Matt Rosek](#); [Lori Brown](#)  
**Subject:** RE: AN removal draft protocol  
**Date:** Wednesday, May 29, 2013 4:53:56 PM

---

Mr. McCoy,

Please find below a list of items to be considered in the final plan. Once a final version is complete we would like a copy prior to the commencement of any activities.

**Item 4 states:** "Three samples of the material will be collected... It is our suggestion that any analysis of the material be done by a *mutually agreed upon independent lab and the cost be shared by the interested parties.*"

The TCEQ does not agree this should be a shared cost and does not need to be involved in the decision regarding the contracting of a third party independent lab.

**Item 9:** The disposal of the rinsing process water. The TCEQ will not provide disposal instructions for this activity but requires that all rinse water is properly disposed of as determined by its waste categorization and in accordance with state and federal law.

Additionally, we suggest that consideration or additional planning be considered in the event there is material that is hardened or has become compacted and is not readily shoveled or able to be vacuumed into approved containers.

Also, we ask that all state and federal rules and regulations be followed regarding the transportation of the Ammonia Nitrate and that any health and safety plan be followed and is in compliance with all applicable rules and regulations.

Please feel free to contact me if you have any questions or concerns.

David Van Soest  
Director Regions 9 and 11  
TCEQ  
(512) 239-0468  
(512) 633-6593

---

**From:** John McCoy [<mailto:jmccoy@mllaw.com>]  
**Sent:** Saturday, May 25, 2013 1:20 PM  
**To:** David Vansoest; Kelly Cook; Kathleen Decker; Susan Jablonski; 'don.holmstrom@csb.gov'; 'daniel.horowitz@csb.gov'; 'chris.lyon@csb.gov'; 'johnnie.banks@csb.gov'; 'quinones.edwin@epa.gov';



9452326

'hayes.mark@epa.gov'; 'lewis.jeffrey@dol.gov'; 'Le, Madeleine - SOL'; 'rector.jack@dol.gov'; Schoen, Michael - SOL; 'Hayes Fuller'; Charles Keith; Matt Wilber; 'Mark Grotefeld'; 'Zona Jones'; 'Jim Klick'; 'Patrick Gareis'; 'Waylon Pickett'; 'Anooj Thakrar'; 'Kevin Mosley'; 'ktaunton@ttsslawfirm.com'; 'fredwilson@up.com'

**Cc:** Laurence Leavitt; Brook Laskey; Eugene LaFlamme; Matt Rosek; Lori Brown

**Subject:** FW: AN removal draft protocol

All,

Attached is the drat protocol for AN removal at the site.

I understand state and federal agencies want the removal to occur as soon as possible and before the inspection of June 3-4.

This protocol was put together in consultation with the AN manufacturer. A representative of the AN manufacturer was brought on site on Wednesday of last week to observe the rail car and its contents.

I would like to get approval for TCEQ on this plan or advise of changes.

I understand that the railroad, UP, is interested in removing the railcar once the AN is removed. They are on this e-mail and we ask they coordinate with Crane Engineering for this removal. It will require a protocol that is acceptable to the people on this e-mail.

When we have an approved plan to remove the AN and railcar we will pick a date to implement the plan. We plan to video that removal and share with all "interested parties".

We do not intend to have all "interested parties" attend the removal of the AN or the railcar.

John

John V. McCoy  
McCoy Leavitt Laskey LLC  
Riverwood Corporate Center III  
N19 W24200 Riverwood Drive  
Suite 125  
Waukesha, WI 53188  
Phone: (262) 522-7007  
Fax: (262) 522-7020

**NEW:** [JMcCoy@MLLlaw.com](mailto:JMcCoy@MLLlaw.com)  
[www.MLLlaw.com](http://www.MLLlaw.com)

THE INFORMATION CONTAINED IN THIS EMAIL COMMUNICATION AND ANY ATTACHMENT(S) TO IT IS/ARE INTENDED FOR THE EXCLUSIVE USE OF THE INTENDED ADDRESSEE(S) AND MAY CONTAIN INFORMATION THAT IS CONFIDENTIAL AND/OR PRIVILEGED AND EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW. IF YOU ARE NOT THE INTENDED RECIPIENT(S) AND HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY McCOY LEAVITT LASKEY LLC AT 262-522-7007 OR MY EMAIL AT [JMcCoy@MLLlaw.com](mailto:JMcCoy@MLLlaw.com). DELETE THIS EMAIL AND DESTROY ALL COPIES AND ANY ATTACHMENTS.

---

**From:** Charles Keith [<mailto:chuckk@craneengineering.com>]

**Sent:** Thursday, May 23, 2013 8:55 PM

**To:** John McCoy

**Cc:** Matt Wilber

**Subject:** AN removal draft protocol

John

Here is a draft protocol for your review.

Please call to discuss

C

Charles G. Keith, P.E.  
Crane Engineering  
2355 Polaris Lane North  
Plymouth, MN 55447  
(763) 557-9090  
(800) 538-2797  
Fax (736) 557-0710  
[chuckk@CraneEngineering.com](mailto:chuckk@CraneEngineering.com)  
[www.CraneEngineering.com](http://www.CraneEngineering.com)



This is a transmission from Crane Engineering, Inc. and may contain information which is privileged and confidential. If you are not the addressee, note that any disclosure, copying, distribution, or use of the contents of this message is prohibited. If you have received this transmission in error, please destroy it and notify us immediately at 763-557-9090.

\*\*\*\*\* ATTACHMENT NOT DELIVERED \*\*\*\*\*

This Email message contained an attachment named  
image001.jpg  
which may be a computer program. This attached computer program could  
contain a computer virus which could cause harm to EPA's computers,  
network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced  
into the EPA network. EPA is deleting all computer program attachments  
sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you  
should contact the sender and request that they rename the file name  
extension and resend the Email with the renamed attachment. After  
receiving the revised Email, containing the renamed attachment, you can  
rename the file extension to its correct name.

For further information, please contact the EPA Call Center at  
(866) 411-4EPA (4372). The TDD number is (866) 489-4900.

\*\*\*\*\* ATTACHMENT NOT DELIVERED \*\*\*\*\*